



SMP3700/3800 series

Best-in-class recording

with Precision Microphone

SpeechMike Premium Touch is the latest innovation from Philips. It comes with a premium decoupled studio quality microphone, a built-in noise reduction filter, antimicrobial housing and a motion sensor for the clearest speech recordings and most accurate speech recognition results. The new touch sensor ensures easier navigation, saving you even more time.

Tuned for clarity

- Decoupled studio-quality microphone for precise recording
- · Optimized microphone grille and integrated pop filter for crystal clear sound
- · Large speaker area for premium playback
- Built-in support for Nuance speech recognition for a hassle-free 'plug and play' installation

Crafted for comfort

- ${\boldsymbol{\cdot}}{}$ Ergonomically shaped for perfect fit in the hand
- · Wear-free slide switch or push buttons for comfortable operation
- · Integrated motion sensor mutes microphone when not in use
- · Touch sensor for integrated mouse function

Designed for detail

- $\boldsymbol{\cdot}$ Hygienic surface for easy disinfection
- · Barcode scanner for streamlined documentation
- · Freely configurable function keys for a personalized workflow
- · Smart, backwards compatible firmware for extra flexibility



Highlights

Free-floating studio-quality microphone



The free-floating microphone is decoupled from the device's housing, which guarantees that almost no background, touch, click, air or structure-borne noise is recorded. This technique is derived from studio microphones to make sure there are no sound distortions whatsoever and to guarantee outstanding speech recognition results.

Metal microphone grille



The metal grille comes with specially designed hexagonal openings which allow three times more sound to reach the microphone than its predecessor, engineered to provide crystal clear recordings. A fleece inserted above and below the microphone capsule filters out sound distortions such as pop and hiss noise, guaranteeing perfect results even if dictating closely into the microphone.

Large speaker area



The SpeechMike Premium Touch is equipped with an extra-large speaker, enabling it to not only record but also play back recordings in clear and crisp quality.

Built-in support for speech recognition



Philips SpeechMike is designed to work seamlessly with Nuance speech recognition and is also supported by leading hospital information systems (HIS), radiology information systems (RIS), and picture archiving and communication systems (PACS). With native, built-in support for these systems, users can simply plug in the device and start using it immediately, without requiring any extra installation steps.

Ergonomically shaped



The device is designed to fit perfectly into the hand and reduce unintentional pressing of buttons. The trigger and the 'command' button on the back of the device are engineered to be in easy reach for the fingers.

Wear-free slide switch and push button



The SpeechMike Premium Touch comes with a slide-switch or a push-button operation. The slide switch is wear-free and ergonomically shaped with a softly ribbed surface for smooth tactile feedback and comfortable and intuitive utilization. In addition, our engineers implemented a millionfold proven contactless slider detection, making it completely wear-free for an extra-long lifetime.

Integrated motion sensor



Being on the cutting edge of technology, the SpeechMike Premium Touch comes with an integrated motion sensor, making it the first stationary dictation device that can be controlled by the movement of your hand. It detects when it's put on the table, mutes the microphone, and once it is being picked up again it unmutes the microphone. In addition to that, custom events can be programmed, e.g., to pause and to continue the recording.

Touch sensor



The device comes with a touch sensor. This allows the user to easily control and navigate within applications while recording, without having to switch between the mouse and microphone.

Hygienic surface



The hygienic surface physically hinders the colonization of germs and thus improves the efficiency of the usual measures for disinfecting. The polished, high quality pearl metal surface also makes the device nonsensitive to touch noises and fingerprints.















Highlights

Integrated barcode scanner



The SpeechMike Premium Touch is also available with an integrated barcode scanner to link client or patient data to a recorded file simply by scanning a barcode. The scanned information is automatically attached to the dictation file, streamlining the documentation process. All identifying information is entered accurately, increasing security and potential for cost savings.

Freely configurable keys



The SpeechMike Premium Touch has freely configurable keys which are especially useful for programming speech recognition commands. The device can be personalized for any user and application.

Highly compatible



Customers can upgrade from their previous SpeechMike model without installing additional software. For integrators, this means no changes need to be implemented and the existing SDK can be used. The SpeechMike Premium Touch is compatible with Mac and Windows operating systems, as well as virtual environments such as Citrix, VM Ware and Hyper-V. It can be configured using SpeechControl, the convenient Philips hardware management tool.

Versions

SMP3700



Push-button operation

SMP3710



Slide-switch operation (record, stop, play, fast rewind)

SMP3720



Slide-switch operation (fast forward, record/play, stop, fast rewind)

SMP3800



Push-button operation Integrated barcode scanner















SMP3810



 $\label{eq:Slide-switch} \textbf{Slide-switch operation (record, stop, play, fast rewind)}$

Integrated barcode scanner

Specifications

Connectivity

USB: USB 2.0, type A (compatible with USB 3.0)

Audio recording

Microphone type: electret condenser

microphone

Microphone capsule: 10 mm Characteristic: uni-directional Frequency response: 200 – 12 000 Hz

Sensitivity: -37 dBV

Signal-to-noise ratio: > 70 dBA

Sound

Speaker type: built-in round, dynamic

speaker

Speaker diameter: 30 mm

Acoustic frequency response: 300 – 7500 Hz

Speaker output power: > 200 mW

Barcode scanner (SMP3800/3810)

Compatible bar codes: EAN, UPC, Code 11 / 39 / 93 / 128, Codabar, MSI Code, Interleaved 2 of 5, Discrete 2 of 5, Chinese 2 of 5, Matrix 2 of 5, Inverse 1D, GS1 DataBar Type: charge-coupled device (CCD)

System requirements for Philips SpeechControl software

Processor: Intel dual core or equivalent AMD processor, 1 GHz or faster processor RAM: 2 GB (32 bit)/4 GB (64 bit)

Hard-disk space: 30 MB for SpeechControl software, 4.5 GB for Microsoft .NET

Framework

Operating system: Windows 11, Windows 10 (64 bit), macOS 12/11 (Mac functionality may

Graphics: DirectX-compliant graphics card with hardware acceleration recommended Sound: Windows-compatible sound device

Free USB port

Supported speech recognition software: Nuance Dragon Professional 12.5/13/14/15 Individual/Group, Nuance Dragon Legal 12.5/13/14/15, Dragon Medical Practice Edition 2/3, Nuance Dragon SDK Client Edition 14, M*Modal Fluency Direct 8.0 and above, Fusion Narrate powered by nVoq

Green specifications

Compliant to 2011/65/EU (RoHS) Lead-free soldered product

Operation conditions

Temperature: $5^{\circ} - 45^{\circ} \text{ C} / 41^{\circ} - 113^{\circ} \text{ F}$ Humidity: 10 % - 90 %

Dimensions

Product dimensions (W \times D \times H): $45 \times 175 \times 32$ mm / $1.8 \times 6.9 \times 1.25$ in Weight: 200g /7 oz (including cable) Cable length: 2.5 m / 8.2 ft

Design and finishing

Material: housing made of high-class polymers

Color: dark grey pearl metallic,

Package contents

SpeechMike Premium Touch Dictation Microphone USB cable (connected to device) Quick start guide

© 2023 Speech Processing Solutions GmbH. All rights reserved.

Specifications are subject to change without notice. Philips and the Philips shield emblem are registered trademarks of Koninklijke Philips N.V. and are used by Speech Processing Solutions GmbH under license from Koninklijke Philips N.V. All trademarks are the property of their respective owners.



Issue date 2023-02-23 Version 1.0

www.philips.com/dictation